



the professional choice for underfloor heating




*eMat Pro*



*eFlex*



*ePlate*



*eCable*



*eStat*




*Touch*

Call or Visit Us Online

01473 27 66 80

www.electricunderfloorheating.co.uk

eMat Pro	4,6,8
eFlex	10
eCable	12
ePlate	14
Touch	16
eStat	18
ePanel	19
eDemist	20
Accessories	21



## The Right Products for the Job

Understanding the benefits and advantages of our extensive range means we offer unparalleled advice for any installation. Plus, our FREE design service ensures you receive a personalised underfloor heating solution including a product inventory specific to your project.



18 eStat

14 ePlate

16 Devilink

10 eFlex

12 eCable



**Easy Tips**

Look out for the **easy tips** for helpful information.

Call or Visit Us Online

**01473 27 66 80**

[www.electricunderfloorheating.co.uk](http://www.electricunderfloorheating.co.uk)

### Customer Service

Elements is different to many underfloor heating outlets in that we are a service oriented company. It's our goal to ensure that your purchase is based on an educated decision and our dedication to customer satisfaction means we aim to exceed your expectations.

From the very conception of your project we'll offer a solution backed by expert advice and support. And, with our generous product warranties you're guaranteed to experience complete satisfaction every step of the way.

### Technical Support

- We offer a FREE Design Service
- A technical team providing expert advice on all aspects of installation
- A dedicated team of sales advisers
- Customer support team

### Guarantees

The eLine range offers high quality products under three warranties. (Follow brochure for guidance)



Approved & Tested to the Highest Standards.



Our products satisfy the requirements of the relevant European Directives.


## Quality & Experience

With over 20 years experience in specifying electric underfloor heating solutions, elements has produced a range of robust, reliable and durable products to suit any requirement.

Each of our products are designed to high specifications to ensure your underfloor heating solution meets the demands of your application, which is why our range is renowned for outstanding quality.


## Radiator vs Underfloor

Underfloor heating systems are the perfect way to create the most comfortable living environments by eliminating drafts and cold zones. The installation of the underfloor heating directly beneath the floor surface means that you achieve quick and optimum warming, coupled with the **elements** eStat thermostat means that you can achieve the heating comfort you require without wasting energy.



### Traditional Radiator

Circulates the heat up towards the ceiling where it is cooled off and then returns along the floor as cool draughts.



### elements Systems

Distributes the heat across the floor surface and then leaves the rest to the natural law that heat rises.

## FREE Design Service

Take advantage of our experience with our free design service and the flexibility of purchasing through your local distributor.


## Energy Efficient & Cost Saving

**elements** have incorporated the very latest technology to provide controllable and efficient heating solutions.



## eMat Pro 100

For Timber Based Floors



Bring an element of luxury to any tiled surface with the eMat Pro 100. This self-adhesive heating mat is specifically designed for fast and efficient installation directly onto timber sub-based floors with negligible increase in floor height. The eMat Pro's twin conductor heating cable means there is no second tail to return to the thermostat, saving installation time and cost.

### Features

Self-adhesive mesh

Ultra thin heating cable

Twin conductor heating cable

Suitable for most floor surfaces

100% aluminium earth sheath

### Specification

Cable thickness 3.5mm

Output 100W/m<sup>2</sup>

Operating Voltage 230/240V

Cold tail connection lead 3m



#### **Tile Backer Board**

Reduces heat loss and increases energy efficiency.

**See page 19**

#### **eGuard**

Use the eGuard to ensure a trouble free installation.

**See page 21**

#### **Devilink**

The Devilink wirelessly controls limitless zones from one central control panel. **See page 16**

## Prices (eMat Pro 100 Kit)

Comprises of the eMat Pro 100, eStat763 programmable thermostat, adhesive spray and utility tape.

Q/F	Part Code	Coverage	Wattage	List Price
1313	eMat 100-0.5kit	0.5m <sup>2</sup>	50	£137.44
1314	eMat 100-1kit	1.0 m <sup>2</sup>	100	£145.01
1315	eMat 100-1.5kit	1.5 m <sup>2</sup>	150	£159.65
1316	eMat 100-2kit	2.0 m <sup>2</sup>	200	£172.81
1317	eMat 100-2.5kit	2.5 m <sup>2</sup>	250	£194.73
1318	eMat 100-3kit	3.0 m <sup>2</sup>	300	£207.86
1319	eMat 100-3.5kit	3.5 m <sup>2</sup>	350	£223.19
1320	eMat 100-4kit	4.0 m <sup>2</sup>	400	£238.54
1321	eMat 100-5kit	5.0 m <sup>2</sup>	500	£256.65
1322	eMat 100-6kit	6.0 m <sup>2</sup>	600	£283.88
1323	eMat 100-7kit	7.0 m <sup>2</sup>	700	£308.94
1324	eMat 100-8kit	8.0 m <sup>2</sup>	800	£325.38
1325	eMat 100-9kit	9.0 m <sup>2</sup>	900	£345.18
1326	eMat 100-10kit	10.0 m <sup>2</sup>	1000	£356.13
1327	eMat 100-12kit	12.0 m <sup>2</sup>	1200	£437.44

All prices shown are exclusive of VAT

## Prices (eMat Pro 100 Mat)

Select the eMat Pro to suit your room coverage. Then choose a thermostat.

Q/F	Part Code	Dimensions	Coverage	Wattage	List Price
1172	eMat 100-0.5	0.5m × 1m	0.5m <sup>2</sup>	50	£60.00
1173	eMat 100-1	0.5m × 2m	1.0 m <sup>2</sup>	100	£68.76
1174	eMat 100-1.5	0.5m × 3m	1.5 m <sup>2</sup>	150	£82.21
1175	eMat 100-2	0.5m × 4m	2.0 m <sup>2</sup>	200	£95.37
1176	eMat 100-2.5	0.5m × 5m	2.5 m <sup>2</sup>	250	£117.29
1177	eMat 100-3	0.5m × 6m	3.0 m <sup>2</sup>	300	£130.42
1178	eMat 100-3.5	0.5m × 7m	3.5 m <sup>2</sup>	350	£145.75
1179	eMat 100-4	0.5m × 8m	4.0 m <sup>2</sup>	400	£161.10
1180	eMat 100-5	0.5m × 10m	5.0 m <sup>2</sup>	500	£179.21
1181	eMat 100-6	0.5m × 12m	6.0 m <sup>2</sup>	600	£206.44
1182	eMat 100-7	0.5m × 14m	7.0 m <sup>2</sup>	700	£231.30
1183	eMat 100-8	0.5m × 16m	8.0 m <sup>2</sup>	800	£247.94
1184	eMat 100-9	0.5m × 18m	9.0 m <sup>2</sup>	900	£267.74
1185	eMat 100-10	0.5m × 20m	10.0 m <sup>2</sup>	1000	£278.69
1186	eMat 100-12	0.5m × 24m	12.0 m <sup>2</sup>	1200	£360.00

## Thermostats


Q/F	Part Code	Description	Room	Floor	Switching Capacity	List Price
760	eStat760	Switchable manual non-programmable eStat	Yes	Yes	3450 W @ 230 V	£49.95
763	eStat763	Switchable electronic 7 day programmable eStat	Yes	Yes	3450 W @ 230 V	£79.95
764	140F1065	Touch screen programmable thermostat	Yes	Yes	3450 W @ 230 V	£115.00

All prices shown are exclusive of VAT



## Application

The eMat Pro 100 can be installed under ceramic, porcelain, slate and natural stone tiles. When using laminate, engineered timber or vinyl floors a self levelling compound should be used.





# eMat Pro 150

For Concrete Based Floors



Bring an element of luxury to any tiled surface with the eMat Pro 150. This self-adhesive heating mat is specifically designed for fast and efficient installation directly onto concrete sub-based floors with negligible increase in floor height. The eMat Pro's twin conductor heating cable means there is no second tail to return to the thermostat, saving installation time and cost.

## Features

- Self-adhesive mesh
- Ultra thin heating cable
- Twin conductor heating cable
- Suitable for most floor surfaces
- 100% aluminium earth sheath

## Specification

Cable thickness	3.5mm
Output	150W/m <sup>2</sup>
Operating Voltage	230/240V
Cold tail connection lead	3m



### **Tile Backer Board**

Reduces heat loss and increases energy efficiency.  
**See page 19**

### **eGuard**

Use the eGuard to ensure a trouble free installation.  
**See page 21**

### **Devilink**

The Devilink wirelessly controls limitless zones from one central control panel. **See page 16**

## Prices (eMat Pro 150 Kit)

Comprises of the eMat Pro 150, eStat763 programmable thermostat, adhesive spray and utility tape.

Q/F	Part Code	Coverage	Wattage	List Price
1328	eMat 150-0.5kit	0.5m <sup>2</sup>	75	£149.44
1329	eMat 150-1kit	1.0 m <sup>2</sup>	150	£155.99
1330	eMat 150-1.5kit	1.5 m <sup>2</sup>	225	£170.09
1331	eMat 150-2kit	2.0 m <sup>2</sup>	300	£187.71
1332	eMat 150-2.5kit	2.5 m <sup>2</sup>	375	£205.38
1333	eMat 150-3kit	3.0 m <sup>2</sup>	450	£222.55
1334	eMat 150-3.5kit	3.5 m <sup>2</sup>	525	£243.45
1335	eMat 150-4kit	4.0 m <sup>2</sup>	600	£264.36
1336	eMat 150-5kit	5.0 m <sup>2</sup>	750	£297.70
1337	eMat 150-6kit	6.0 m <sup>2</sup>	900	£324.76
1338	eMat 150-7kit	7.0 m <sup>2</sup>	1050	£357.15
1339	eMat 150-8kit	8.0 m <sup>2</sup>	1200	£388.05
1340	eMat 150-9kit	9.0 m <sup>2</sup>	1350	£398.44
1341	eMat 150-10kit	10.0 m <sup>2</sup>	1500	£407.44
1342	eMat 150-12kit	12.0 m <sup>2</sup>	1800	£487.44

All prices shown are exclusive of VAT

## Prices (eMat Pro 150 Mat)

Select the eMat Pro to suit your room coverage. Then choose a thermostat.

Q/F	Part Code	Dimensions	Coverage	Wattage	List Price
1187	eMat 150-0.5	0.5m × 1m	0.5m <sup>2</sup>	75	£72.00
1188	eMat 150-1	0.5m × 2m	1.0 m <sup>2</sup>	150	£78.55
1189	eMat 150-1.5	0.5m × 3m	1.5 m <sup>2</sup>	225	£92.65
1190	eMat 150-2	0.5m × 4m	2.0 m <sup>2</sup>	300	£110.27
1191	eMat 150-2.5	0.5m × 5m	2.5 m <sup>2</sup>	375	£127.94
1192	eMat 150-3	0.5m × 6m	3.0 m <sup>2</sup>	450	£145.11
1193	eMat 150-3.5	0.5m × 7m	3.5 m <sup>2</sup>	525	£166.01
1194	eMat 150-4	0.5m × 8m	4.0 m <sup>2</sup>	600	£186.92
1195	eMat 150-5	0.5m × 10m	5.0 m <sup>2</sup>	750	£220.26
1196	eMat 150-6	0.5m × 12m	6.0 m <sup>2</sup>	900	£247.32
1197	eMat 150-7	0.5m × 14m	7.0 m <sup>2</sup>	1050	£279.72
1198	eMat 150-8	0.5m × 16m	8.0 m <sup>2</sup>	1200	£310.61
1199	eMat 150-9	0.5m × 18m	9.0 m <sup>2</sup>	1350	£321.00
1200	eMat 150-10	0.5m × 20m	10.0 m <sup>2</sup>	1500	£330.00
1201	eMat 150-12	0.5m × 24m	12.0 m <sup>2</sup>	1800	£410.00

## Thermostats


Q/F	Part Code	Description	Room	Floor	Switching Capacity	List Price
760	eStat760	Switchable manual non-programmable eStat	Yes	Yes	3450 W @ 230V	£49.95
763	eStat763	Switchable electronic 7 day programmable eStat	Yes	Yes	3450 W @ 230V	£79.95
764	140F1065	Touch screen programmable thermostat	Yes	Yes	3450 W @ 230V	£115.00

All prices shown are exclusive of VAT



## Application


The eMat Pro 150 can be installed under ceramic, porcelain, slate and natural stone tiles. When using laminate, engineered timber or vinyl floors a self levelling compound should be used.





# eMat Pro 200

For Conservatory / High Output



Bring an element of luxury to any tiled surface with the eMat Pro 200. This self-adhesive heating mat is specifically designed for fast and efficient installation directly onto concrete sub-based floors with negligible increase in floor height. The eMat Pro's twin conductor heating cable means there is no second tail to return to the thermostat, saving installation time and cost.

## Features

- Self-adhesive mesh
- Ultra thin heating cable
- Twin conductor heating cable
- Suitable for most floor surfaces
- 100% aluminium earth sheath

## Specification

Cable thickness	3.5mm
Output	200W/m <sup>2</sup>
Operating Voltage	230/240V
Cold tail connection lead	3m



### Tile Backer Board

Reduces heat loss and increases energy efficiency.  
**See page 19**

### eGuard

Use the eGuard to ensure a trouble free installation.  
**See page 21**

### Devilink

The Devilink wirelessly controls limitless zones from one central control panel. **See page 16**

## Prices (eMat Pro 200 Kit)

Comprises of the eMat Pro 200, eStat763 programmable thermostat, adhesive spray and utility tape.

Q/F	Part Code	Coverage	Wattage	List Price
1652	eMat 200-0.45 Kit	0.45m <sup>2</sup>	90	£158.78
1653	eMat 200-1.05 Kit	1.05 m <sup>2</sup>	200	£174.16
1654	eMat 200-1.45 Kit	1.45 m <sup>2</sup>	280	£188.19
1655	eMat 200-2.10 Kit	2.10 m <sup>2</sup>	420	£207.13
1656	eMat 200-2.50 Kit	2.50 m <sup>2</sup>	500	£232.88
1657	eMat 200-3.10 Kit	3.10 m <sup>2</sup>	620	£256.50
1658	eMat 200-3.45 Kit	3.45 m <sup>2</sup>	690	£280.75
1659	eMat 200-4.30 Kit	4.30 m <sup>2</sup>	860	£306.50
1660	eMat 200-4.95 Kit	4.95 m <sup>2</sup>	990	£333.50
1661	eMat 200-6.10 Kit	6.10 m <sup>2</sup>	1220	£377.75
1662	eMat 200-7.00 Kit	7.00 m <sup>2</sup>	1400	£419.60
1663	eMat 200-7.80 Kit	7.80 m <sup>2</sup>	1560	£462.72
1664	eMat 200-8.80 Kit	8.80 m <sup>2</sup>	1760	£472.10
1665	eMat 200-10.50 Kit	10.50 m <sup>2</sup>	2100	£495.32

## Prices (eMat Pro 200 Mat)

Select the eMat Pro to suit your room coverage. Then choose a thermostat.

Q/F	Part Code	Dimensions	Coverage	Wattage	List Price
1638	eMat 200 - 0.45	0.5m × 1m	0.45m <sup>2</sup>	90	£81.34
1639	eMat 200 - 1.05	0.5m × 2m	1.05m <sup>2</sup>	200	£96.72
1640	eMat 200 - 1.45	0.5m × 3m	1.45m <sup>2</sup>	280	£110.75
1641	eMat 200 - 2.10	0.5m × 4m	2.10m <sup>2</sup>	420	£129.69
1642	eMat 200 - 2.50	0.5m × 5m	2.50m <sup>2</sup>	500	£155.44
1643	eMat 200 - 3.10	0.5m × 6m	3.10m <sup>2</sup>	620	£179.06
1644	eMat 200 - 3.45	0.5m × 7m	3.45m <sup>2</sup>	690	£203.31
1645	eMat 200 - 4.30	0.5m × 8m	4.30m <sup>2</sup>	860	£229.06
1646	eMat 200 - 4.95	0.5m × 10m	4.95m <sup>2</sup>	990	£256.06
1647	eMat 200 - 6.10	0.5m × 12m	6.10m <sup>2</sup>	1220	£300.31
1648	eMat 200 - 7.00	0.5m × 14m	7.00m <sup>2</sup>	1400	£342.16
1649	eMat 200 - 7.80	0.5m × 16m	7.80m <sup>2</sup>	1560	£385.28
1650	eMat 200 - 8.80	0.5m × 18m	8.80m <sup>2</sup>	1760	£394.66
1651	eMat 200 - 10.50	0.5m × 20m	10.50m <sup>2</sup>	2100	£417.88

All prices shown are exclusive of VAT

## Thermostats

Q/F	Part Code	Description	Room	Floor	Switching Capacity	List Price
760	eStat760	Switchable manual non-programmable eStat	Yes	Yes	3450 W @ 230 V	£49.95
763	eStat763	Switchable electronic 7 day programmable eStat	Yes	Yes	3450 W @ 230 V	£79.95
764	140F1065	Touch screen programmable thermostat	Yes	Yes	3450 W @ 230 V	£115.00


All prices shown are exclusive of VAT



**NEW**

## Application

The eMat Pro 200 can be installed under ceramic, porcelain, slate and natural stone tiles. When using laminate, engineered timber or vinyl floors a self levelling compound should be used.





## eFlex

### Under Tile Loose Laid Cable




The eFlex loose laid cable system provides a flexible and easy under tile heating solution for any floor size or shape. eFlex is suitable for use beneath most floor types such as ceramic and porcelain tiles, limestone etc. Its thin heating element keeps floor depth to a minimum.

### Features

- Easy to install
- Thin twin conductor heating element
- Suitable for most floor types
- Can be installed within the thickness of tile adhesive

### Specification

Conductor	Twin
Voltage	230V
Output	10W/lm
Thickness	4mm
Min. bending radius	30mm



### eGauge Measuring Tape

Spacing underfloor heating cable has never been easier. The eGauge measuring tape, with its 25mm spaced coloured stripes, offers easy reference for a fast and efficient installation. When using with eFlex lay your cable onto the heat resistant double-sided tape at the appropriate coloured stripe. Finally, the eMesh fibre tape seals the cable in position whilst allowing the tile adhesive to pass through it, eliminating the problems caused by air gaps under the tiles.

## Prices (eFlex Cable Kits)

Comprises of your chosen eFlex cable, the eStat 763 programmable controller, eGauge, eFix and eMesh.

Q/F	Part Code	Description	Coverage	Wattage	List Price
1225	ef300Kit	eFlex kit 300	1.5m <sup>2</sup> – 2.4m <sup>2</sup>	300	£159.95
1226	ef400Kit	eFlex kit 400	2.5m <sup>2</sup> – 3.1m <sup>2</sup>	400	£176.65
1227	ef600Kit	eFlex kit 600	3.2m <sup>2</sup> – 4.4m <sup>2</sup>	600	£223.95
1228	ef800Kit	eFlex kit 800	4.5m <sup>2</sup> – 5.9m <sup>2</sup>	800	£269.95
1229	ef1000Kit	eFlex kit 1000	6.0m <sup>2</sup> – 6.9m <sup>2</sup>	1000	£324.95
1230	ef1200Kit	eFlex kit 1200	7.0m <sup>2</sup> – 8.4m <sup>2</sup>	1200	£372.95
1231	ef1400Kit	eFlex kit 1400	8.5m <sup>2</sup> – 9.9m <sup>2</sup>	1400	£414.95
1232	ef1600Kit	eFlex kit 1000 & 600	10.0m <sup>2</sup> – 11.4m <sup>2</sup>	1600	£464.95
1233	ef1800Kit	eFlex kit 1000 & 800	11.5m <sup>2</sup> – 12.9m <sup>2</sup>	1800	£519.95
1234	ef2000Kit	eFlex kit 1000 × 2	13.0m <sup>2</sup> – 14.4m <sup>2</sup>	2000	£564.95
1235	ef2200Kit	eFlex kit 1000 & 1200	14.5m <sup>2</sup> – 15.9m <sup>2</sup>	2200	£614.95
1236	ef2400Kit	eFlex kit 1200 × 2	16.0m <sup>2</sup> – 17.4m <sup>2</sup>	2400	£659.95
1237	ef2600Kit	eFlex kit 1400 & 1200	17.5m <sup>2</sup> – 18.9m <sup>2</sup>	2600	£714.95
1238	ef2800Kit	eFlex kit 1400 × 2	19.0m <sup>2</sup> – 20.4m <sup>2</sup>	2800	£759.95
1239	ef3000Kit	eFlex kit 1000 × 3	20.5m <sup>2</sup> – 21.9m <sup>2</sup>	3000	£809.95

All prices shown are exclusive of VAT

## Prices (eFlex Cable Only)

Underfloor heating cable only.

Q/F	Part Code	Description	Length	Wattage	List Price
1218	ef300	eFlex 300	30m	300	£85.00
1219	ef400	eFlex 400	40m	400	£102.00
1220	ef600	eFlex 600	60m	600	£149.00
1221	ef800	eFlex 800	80m	800	£195.00
1222	ef1000	eFlex 1000	100m	1000	£250.00
1223	ef1200	eFlex 1200	120m	1200	£298.00
1224	ef1400	eFlex 1400	140m	1400	£340.00

## Prices (eFlex Fixings)

Underfloor heating cable accessories.

Q/F	Part Code	Description	Length	List Price
1311	eMesh46	Self-adhesive mesh	46m	£14.75
1245	eds50	eFix double-sided tape	50m	£11.50
1312	eg50	eGauge tape	50m	£2.75

## Thermostats


Q/F	Part Code	Description	Room	Floor	Switching Capacity	List Price
760	eStat760	Switchable manual non-programmable eStat	Yes	Yes	3450 W @ 230 V	£49.95
763	eStat763	Switchable electronic 7 day programmable eStat	Yes	Yes	3450 W @ 230 V	£79.95
764	140F1065	Touch screen programmable thermostat	Yes	Yes	3450 W @ 230 V	£115.00

All prices shown are exclusive of VAT



## Application

The eFlex is a loose laid cable which can be installed beneath most ceramic, porcelain/slate and natural stone tiles. When using laminate, engineered timber or vinyl floors a self levelling compound should be used.



Can be used with ePlate.



## eCable

In-screed Total Heating Solution

The eCable underfloor heating product offers a flexible solution for most new build applications where a total heating solution is required. The flexibility of the cable installation allows variable power outputs to be installed with a maximum of 230 W/m<sup>2</sup>. This system will provide a total heating solution in most installation scenarios including conservatories and sun rooms.

### Features

- Easy to install
- Twin conductor heating cable
- Variable power outputs
- Suitable for most finished floor surfaces

### Specification

Conductor	Twin
Voltage	230V
Nominal Power	20W/m
Diameter	7mm



**eStrap** fixing ensures the heating cables are secure and evenly spaced. **See page 13**

**Devilink** wirelessly controls limitless zones from one central control panel. **See page 16**

**eGuard** to ensure a trouble free installation. **See page 21**

### Thermostats

Q/F	Part Code	Description	Room	Floor	Switching Capacity	List Price
760	eStat760	Switchable manual non-programmable eStat	Yes	Yes	3450 W @ 230 V	£49.95
763	eStat763	Switchable electronic 7 day programmable eStat	Yes	Yes	3450 W @ 230 V	£79.95
764	140F1065	Touch screen programmable thermostat	Yes	Yes	3450 W @ 230 V	£115.00



All prices shown are exclusive of VAT

## Prices (eCable Kits)

Comprises of your chosen eCable, the eStat 763 programmable thermostat controller, fixing strip and utility tape.

Q/F	Part Code	Description	Wattage	Coverage*	List Price
1688	eCable 20-2.0 Kit	425w Kit	425w	2.0m	£196.85
1689	eCable 20-3.0 Kit	650w Kit	650w	3.0m	£203.85
1690	eCable 20-4.0Kit	830w Kit	850w	4.0m	£207.85
1691	eCable 20-5.0Kit	970w Kit	970w	5.0m	£231.85
1692	eCable 20-6.0Kit	1270w Kit	1270w	6.0m	£242.85
1693	eCable 20-7.0Kit	1410w Kit	1410w	7.0m	£247.85
1694	eCable 20-8.0Kit	1620w Kit	1620w	8.0m	£261.85
1695	eCable 20-90Kit	1890w Kit	1890w	9.0m	£267.85
1696	eCable 20-10Kit	1980w Kit	1980w	10m	£286.85
1697	eCable 20-11-12Kit	2530w Kit	2530w	11 -12m	£314.85
1698	eCable 20-13-14Kit	1410w & 1270w Kit	2680w	13 - 14m	£375.85
1699	eCable 20-15-16Kit	1410w & 1620w Kit	3030w	15 - 16m	£394.85
1700	eCable 20-17-19Kit	1980w x2 Kit	3960w	17 - 19m	£458.85
1701	eCable 20-20-23Kit	2530w & 1980w Kit	4510w	20 - 23m	£486.85
1702	eCable 20-24-27Kit	1980w x 2 & 1890w Kit	5850w	24 - 27m	£653.24
1703	eCable 20-28-30Kit	2530w & 1980w x 2 Kit	6490w	28 - 30m	£700.24
1704	eCable 20-31-34Kit	2530w x 3 Kit	7590w	31 - 34m	£756.24
1705	eCable 20-35-38Kit	1980w x 4 Kit	7920w	35 - 38m	£844.24
1706	eCable 20-39-42Kit	2530w x 2 & 1980w x 2 Kit	9020w	39 - 42m	£900.24

## Prices (eCable Only)

Underfloor heating cable only

Q/F	Part Code	Wattage	Length	List Price
1675	eCable 20-20	425w	20m	£82.00
1676	eCable 20-32	650w	32m	£89.00
1677	eCable 20-40	830w	40m	£93.00
1678	eCable 20-50	970w	50m	£117.00
1679	eCable 20-60	1270w	60m	£128.00
1680	eCable 20-70	1410w	70m	£133.00
1681	eCable 20-80	1620w	80m	£147.00
1682	eCable 20-90	1890w	90m	£153.00
1683	eCable 20-100	1980w	100m	£172.00
1684	eCable 20-125	2530w	125m	£200.00

## eStrap


The eStrap ensures the eCable is evenly spaced and secured to the insulation or concrete based floor.

Q/F	Part Code	Description	Length	List Price
1243	eStrap	Metal fixing strap	25m	£41.39

\*Coverage based on 200W/m<sup>2</sup> ideally suited for conservatories and sunrooms. All prices shown are exclusive of VAT

## Application

The eCable underfloor heating product offers a flexible solution for most new build applications where a total heating solution is required.





## ePlate

Heating for Under Wood Surfaces

The ePlate panels are constructed from 12mm polystyrene with a 1mm aluminium covering moulded with eFlex cable grooves every 100mm. The ePlate can be installed on new or existing sub floors with the finished wooden flooring fitted directly on top, this offers a fast response with a very even floor heat.

### Features

- Easy to install
- Even distribution of heat
- Suitable for wooden flooring
- Thin floor profile
- 17th edition compliant

### Specification

Plate Size	1m x 0.5m
Noise Reduction	-3dB
Thickness	13mm
Deformation strength	3.67 tonnes/m <sup>2</sup>



**Save time** by planning your design or contact us for a free of charge system design.

**Easily** cut your aluminium ePlates by safely using an electric grinder.

**eGuard** to ensure a trouble free installation.  
**See page 21**

## Prices

Q/F	Part Code	Description	Coverage	List Price
4365	189B9180	ePlate 1000mm x 500mm	0.5m <sup>2</sup>	£22.26

## Fixing Accessories

Q/F	Part Code	Description	Length	List Price
491	846243-000	Aluminium adhesive tape	50m	£29.40
1246	eds25	eFix double-sided tape	25m	£6.37
1245	eds50	eFix double-sided tape	50m	£11.50

All prices shown are exclusive of VAT

## eFlex Cable

Q/F	Part Code	Description	Length	Wattage	List Price
1218	ef300	eFlex 300	30m	300	£85.00
1219	ef400	eFlex 400	40m	400	£102.00
1220	ef600	eFlex 600	60m	600	£149.00
1221	ef800	eFlex 800	80m	800	£195.00
1222	ef1000	eFlex 1000	100m	1000	£250.00
1223	ef1200	eFlex 1200	120m	1200	£298.00
1224	ef1400	eFlex 1400	140m	1400	£340.00

## Thermostats

Q/F	Part Code	Description	Room	Floor	Switching Capacity	List Price
760	eStat760	Switchable manual non-programmable eStat	Yes	Yes	3450 W @ 230 V	£49.95
763	eStat763	Switchable electronic 7 day programmable eStat	Yes	Yes	3450 W @ 230 V	£79.95
764	140F1065	Touch screen programmable thermostat	Yes	Yes	3450 W @ 230 V	£115.00




**NEW**

All prices shown are exclusive of VAT

## Application

The ePlate can be laid directly beneath wood, laminate and engineered timber floors without the need for a covering screed (dry fit).





# Devi Touch

## Touch Screen Control



The Touch incorporates the latest technology ensuring total control from the initial setup. It is a perfect replacement for faulty or out dated underfloor heating controllers as the unit is compatible with most other manufacturer's floor sensing thermostat probes.

This stylish cutting edge thermostat uses pulse width modulation with optimum start and optimum end programming as well as open window detection to guarantee extremely high temperature control accuracy, ensuring the Touch is one of the most efficient underfloor heating control available.

### Features

- Easy Automatic Setup Wizard
- Large Coloured Touch Screen
- Adaptive for use with other Floor Sensors
- Consumption Meter
- Digital Timer with Max and Min Temperature settings
- Child Proof Safety Lock

### Specification

Supply Voltage	230V
Switching Capacity	16A
Display Size	51 x 51mm
Unit Size	84 x 84mm
Temperature Range	5-35°+
IP Classification	IP 21

### Prices

Q/F	Part Code	Description	List Price
764	140F1065	Touch screen programmable thermostat	£115.00
273	140F1091	Devi touch spare sensor probe	£18.15

**NEW**

All prices shown are exclusive of VAT



# Devilink

## Wireless Control



The Devilink system offers complete control over the eLine range of underfloor heating products wirelessly from one central control – devilink™. This gives you a simple and efficient method of controlling your entire heating system from an easy to use touch screen panel.

### Features

- Simple, stylish and user friendly
- Colour touch screen panel enabling simple navigation
- Wirelessly controls your entire heating system
- Latest technology
- Ideal for both wet and electric underfloor heating



#### Devilink RS

A wireless thermostat which allows you to adjust the temperature in individual rooms.

#### Devilink FT

Is the device that switches the heating element on and off. This is connected to a 230V mains supply.

### Prices

Q/F	Part Code	Description	List Price
1207	Devilink CC 19190032	Devilink CC 5 Rooms or Less (Inc Wall mounted Power Supply)	£423.29
1208	Devilink CC 19190030	Devilink CC 6 Rooms or More (Inc Wall mounted Power Supply)	£513.98
1209	Devilink FT 19190005	Devilink FT	£60.46
1210	Devilink RS 19150004	Devilink RS	£58.95
1211	Devilink CB	Commissioning Battery	£30.25
1212	Devilink NSU	Power Supply (Free Standing) Devilink CC	£36.29
1213	Devilink PSU	In Wall Power Supply for Devilink CC	£33.27

All prices shown are exclusive of VAT



eStat 760  
eStat 763

## eStat

Compact Thermostats  
Provide Both Energy  
Savings and Total  
Comfort Control

The eStat range has been designed to provide total control and flexibility when using your underfloor heating system. With the options of both manual and fully programmable controls.

The eStat range is capable of switching a maximum of 15 amps, giving you the ability to switch multiple mats whilst using one thermostat control. For areas that require a single thermostat to control a load greater than 15 amps, a suitably sized contactor should be installed, which can then be controlled by the thermostat.

Please note that when a contactor is used you will need to fit a snubber (surge protector) on the switch terminals (A1 & A2).

### Features

Range of controls from basic to intelligent

Stylish design

High switching capacity

User friendly programming

### Specification

Supply Voltage	230V
Switching Capacity	15A
Size	75 x 75 x 14mm
Temp Range	5°C to 40°C

### Prices

Q/F	Part Code	Description	Room	Floor	Switching Capacity	List Price
760	eStat760	Switchable manual non-programmable eStat	Yes	Yes	3450W @ 230V	£49.95
763	eStat763	Switchable electronic 7 day programmable eStat	Yes	Yes	3450W @ 230V	£79.95


### Accessories

Q/F	Part Code	Description	List Price
1019	floorsensor	Spare floor sensor for all thermostat controls	£16.50
1022	snubber	To be used with a contactor	£5.50

All prices shown are exclusive of VAT

# ePanel Boards

## Insulated Tile Backing Boards



ePanel Thermal is a lightweight insulated tile backing board developed specifically for use with tile floors. It consists of a Polyfoam core with glass fibre reinforced polymer-modified cement faces making it the ideal substrate for floor tiling and under tile heating systems.

### Application

ePanel Thermal is suitable for both domestic and commercial use. It is designed to be installed beneath both the eMat Pro and eFlex, to provide a high level of insulation and a stable base for tiling (on timber based floors). The ePanel board can be secured using ePanel fixings (when laying on timber floors), whilst using the eMesh to strengthen the joints.

### Features

Dimensionally stable, does not rot or warp

Excellent resistance to moisture

High level of thermal insulation

Extremely light and easy to cut



Secure the ePanel to a timber sub-base using **ePanel fixings**.

Use **eMesh** to strengthen the joints of the ePanel.

### Prices

Q/F	Part Code	Dimensions	Coverage	List Price
1133	ePanel 6mm	1200 × 600 × 6mm	0.72m <sup>2</sup>	£12.75
1086	ePanel 10mm	1200 × 600 × 10mm	0.72m <sup>2</sup>	£12.75
1311	eMesh46	100mm × 46m	17m <sup>2</sup>	£14.75
1135	ePanel Fixings	50 per bag	6 per ePanel	£9.61

All prices shown are exclusive of VAT



## eDemist

Keeps Mirrors Free of Condensation

An ultra thin self-adhesive heating pad that fits inconspicuously behind virtually any mirror keeping the mirror completely mist free. The eDemist represents the most up-to-date standards in technology giving a high degree of temperature stability, with complete resistance to moisture, vibration, shock, dust and ageing.

### Features

- Simple to fit
- Economical to run
- Maintenance free
- Approved to international Standards
- Double insulated

### Specification

Pad thickness	less than 1mm
Terminal Block	35mm Ø, 7mm depth
1 metre twin core	0.5mm oval cable
Power rating	200W/m <sup>2</sup>

### Application

The eDemist can be fitted in homes, hotels, hospitals, leisure centres, caravans, boats and many other areas in both new build and refurbishment projects.

### Prices

Q/F	Part Code	Dimensions	Volts	Wattage	List Price
512	DM7005	150mm × 274mm	220/240	7	£26.90
513	DM7010	274mm × 274mm	220/240	15	£28.90
514	DM7020	274mm × 574mm	220/240	25	£39.30
515	DM7030	524mm × 524mm	220/240	50	£51.10
516	DM7040	524mm × 1024mm	220/240	100	£80.80

All prices shown are exclusive of VAT



**eGuard Monitor**  
Monitors mats and cables for faults during installation

Q/F	Part Code	List Price
1244	30953095	£59.00



**Therma-Coat**  
Insulating primer (for both timber and concrete floors)

Q/F	Part Code	Coverage	List Price
1505	Thermacoat	5 m <sup>2</sup>	£21.26



**ePanel Fixings**  
For securing ePanel boards (includes screws)

Q/F	Part Code	Qty	List Price
1135	eFixings	50 per bag	£9.61



**eFix**  
60° Heat resistant double-sided tape

Q/F	Part Code	Length	List Price
1246	eds25	25m	£6.37
1245	eds50	50m	£11.50



**Adhesive Tape**  
Multi-purpose fixing tape

Q/F	Part Code	Length	List Price
1247	ess50	50m	£4.26



**Superspray**  
General purpose adhesive spray

Q/F	Part Code	Coverage	List Price
434	s707	3-4m <sup>2</sup>	£3.99



**eGauge**  
Spacing tape designed for eCable and eFlex systems

Q/F	Part Code	Roll Size	List Price
1308	eg25	25m	£1.85
1312	eg50	50m	£2.75



**eMesh**  
Self-adhesive alkaline resistant mesh for fixing cables and ePanels

Q/F	Part Code	Length	List Price
1311	eMesh46	46m	£14.75



**eFix Kit**  
Includes 50m eFix, 50m eGauge and 46m eMesh

Q/F	Part Code	List Price
1310	eFixKit	£19.50



**Aluminium Tape**  
Self adhesive tape for securing eFlex to ePlate systems.

Q/F	Part Code	Length	List Price
491	846243-000	50m	£29.40



**Duralay Heatflow**  
Wood/laminate underlay

Q/F	Part Code	Roll Size	List Price
1206	DLW15	11m x 1.37m	£83.99



**Duralay Heatflow Tape**  
Moisture resistance tape for underlay

Q/F	Part Code	Length	List Price
1241	TX6462	30m	£10.34



**Floor Sensor**  
For Devitouch and eStat thermostats

Q/F	Part Code	Thermostat	List Price
1019	floorsensor	eStat	£16.50
273	140F1091	Devitouch	£18.15



**Snubber**  
To be used with a contactor

Q/F	Part Code	List Price
1022	snubber	£5.50



**Repair Kit**  
For underfloor heating mats

Q/F	Part Code	List Price
236	repairkit	£14.91

All prices shown are exclusive of VAT

## FREE Design Service

Take advantage of our free design service and the flexibility of purchasing through your local distributor.

### Contact Details

Name: .....  
Street: .....  
City: .....  
Postcode: .....  
Country: .....  
Email: .....  
Phone: .....  
Fax: .....

### Project Data

Project name: .....  
Customer name: .....

Please complete and fax to  
**01473 27 66 78**

### Heating Purpose

- Total heating
- Floor warming solution

Area to be covered .....m<sup>2</sup>

### Base Floor Surface

- Timber     Concrete
- Other .....

### Finish Floor Covering

- Tiles/natural stone     Carpet
- Wood/laminate
- Other .....

Please use this space to sketch out your floor area.

