



harmeni

Digital electric heating systems



PRODUCT CATALOGUE 2021

AVAILABLE TO BUY FROM



www.heatershop.co.uk

Call us for more information
01473 559088



harmoni

Digital electric heating system

Harmoni has over 30 years' heating experience and during that time we have built a reputation for providing quality products, combined with exceptional customer service and sound technical advice.

The Harmoni range offers energy efficient, intuitive and well-designed practical heating solutions with cutting-edge technology at the heart of every product.

Our new Lugo+ & Duero+ radiators and 100+ thermostat, with built-in Wi-Fi, can be controlled directly from any smart device wherever you are, at any time.

All Harmoni electric radiators are Lot 20 approved, which ensures we are ready for the current energy efficiency heating market.

Whatever your requirements or the size of your room, we have a solution to fit your needs. We offer a FREE heating design service.

CALL 01473 559088
FOR MORE
INFORMATION

OUR OBJECTIVE IS TO REDUCE YOUR ENERGY CONSUMPTION, LOWER YOUR CARBON FOOTPRINT AND INCREASE THE COMFORT OF YOUR PROPERTY

THE HARMONI DIFFERENCE

Outstanding customer service

Our reputation has been built on exceptional customer service. We offer cost-effective solutions backed by expert advice and support, including free design and heat loss calculation services.

Quality products

All Harmoni products are designed and manufactured to our own demanding specifications. And with generous warranties, you'll be guaranteed a reliable, long lasting solution.

Clean, efficient energy

Harmoni heating products are clean and carbon neutral at the point of use, which helps to lower your carbon footprint.

Energy optimisation

Using the latest technology, Harmoni products manage their energy use efficiently, maintaining a comfortable, consistent warmth so you'll save on your heating bills.

Easy installation

Electric heating solutions are generally easier and cheaper to install than gas or water systems.

Minimal maintenance

Harmoni heating installations don't require yearly certified checkups, just an occasional wipe over with a cloth.



HEATING DESIGN SERVICE 4

A free bespoke design service for your entire home. We can help you choose the best heating solutions based on your needs and budget.



ELECTRIC HEATING 8

Stylish and efficient, our radiators and towel rails come in a variety of sizes and specs to suit any size or type of room. Wi-Fi options available.



UNDERFLOOR HEATING 18

A range of underfloor heating products to suit any project or budget. All Harmoni mats, foils and cables come with a Lifetime Warranty.



THERMOSTATS 26

Elegant, advanced digital thermostats with energy saving features, simple setup and ease of use. Includes the Wi-Fi enabled Harmoni 100+.



FROST PROTECTION 28

Frost protection kits are the perfect solution to stop external and internal pipes from freezing. Simple to set up and self regulating.



SPRAY FOAM INSULATION 30

Icynene® spray foam insulation provides insulating and air sealing, helps to lower heating and cooling bills as well as reducing noise.



HARMONI APP 31

Control your heating system from anywhere at anytime using a smart device. Works with Harmoni's Wi-Fi enabled products.

FREE
SERVICE



harmoni design

FREE bespoke design service for your entire home

A free design service to help you choose the best heating solution for your home and guide you through the entire process. And with our range of Wi-Fi enabled radiators and thermostats, we can design a smart connected heat system controllable from any smart device.

WITH YOU EVERY STEP OF THE WAY

We offer a range of heating products, but how do you know which one is best for your requirements?

Whether you're looking at heating options for a new build, a refurbishment, a new extension or simply reviewing your existing heating, we offer a comprehensive design service and can help you choose the best heating solution for your entire house.

With our Wi-Fi enabled radiators and thermostats, we are able to design a smart connected heating system that you can control from your smart device, anywhere at any time.

Our team have a wealth of heating experience and can guide you through all the technical details – we can even liaise with your architect, builder or electrician – so you don't have to worry.

Take advantage of our free design service, call us for more information on 01473 559088 or email: sales@harmoniheating.co.uk


Some of the benefits of using our free design service:

- Full service from start to finish
- Expert advice from a qualified team
- Free bespoke design service
- Free heat loss calculation
- Best value quality heating products

CALL ONE OF OUR TEAM
ON 01473 559088
FOR MORE INFORMATION

HARMONI HEATING DESIGN SERVICE

Free bespoke design for your entire home heating system – call one of our friendly team on 01473 559088



Spray foam insulation
Icnene® spray foam insulation provides air sealing, which prevents heat loss and reduces energy bills, *page 30*.

Towel rail
The versatile towel rail warms towels, reduces moisture & mildew and heats the bathroom, *page 16*.

Conservatory radiator
Ideal for conservatories with low dwarf walls, *page 11*.

Digital electric radiator
A range of sizes, including Wi-Fi enabled models, *pages 8–15*. See *page 7* for radiator sizing.


Frost protection
A simple solution to prevent internal & external pipes from freezing, *page 28*.

Underfloor heating
A range of underfloor heating solutions to suit any project & budget (we also supply wet systems), *pages 18–25*. Can be controlled remotely via a Wi-Fi thermostat, *page 27*.

WET UNDERFLOOR HEATING

There are scenarios where a wet underfloor heating system is more suitable and economical to run. New builds, large areas and multiple rooms are all instances where wet underfloor heating would be ideal.

We can advise you if a wet underfloor system would be the best option and offer a free CAD design service. We also supply a full range of high quality wet underfloor heating systems and accessories.



CALL ONE OF OUR TEAM
ON 01473 559088
FOR MORE INFORMATION

FREE
SERVICE



radiator sizing

Sizing charts for all of the Harmoni radiators

When choosing a Harmoni electric radiator system, correct sizing is important in order to achieve optimum warmth and maximise energy savings. To help you with the correct sizing, we have produced sizing tables as guidance.

FREE CALCULATION SERVICE

The sizing tables on page 7 will provide you with an estimate of the minimum size and quantity of electric radiators your room will require to establish and maintain a temperature of 21°C within the UK.

If you are unsure which size Harmoni radiator to choose, just call one of our experienced team and we'll work out the details for you.




All you need are the measurements of every room where you would like to install electric radiators, if any of the walls are outside facing and the area where you live (*see the UK heat map on page 7*).




FOR A MORE
ACCURATE HEAT LOSS
CALCULATION, CALL US
ON 01473 559088

CALCULATE YOUR ROOM SIZE

1. If the ceiling height is less than 3 metres calculate the room size using metres squared (m^2), otherwise use metres cubed (m^3) if the ceiling height is more than 3 metres.
2. Refer to the map of the UK and note the colour in your area. The coolest parts are coloured dark blue and warmest parts are orange.
3. Look up the relevant sizing table below to find the correctly sized radiator for your room.



Non-square rooms



Measure the two squares separately then add the areas together.

$A \times B = X$
 $C \times D = Y$
 $X + Y = \text{Total area}$

HARMONI RADIATOR SIZING TABLES

Calculation m^2 – ceiling height less than 3 metres

3 elements	Up to 4m ²	Up to 4m ²	Up to 3m ²	Up to 2m ²
4 elements	Up to 5m ²	Up to 5m ²	Up to 4m ²	Up to 3m ²
6 elements	Up to 8m ²	Up to 7m ²	Up to 7m ²	Up to 6m ²
8 elements	Up to 10m ²	Up to 10m ²	Up to 9m ²	Up to 8m ²
9 elements	Up to 11m ²	Up to 11m ²	Up to 10m ²	Up to 9m ²
10 elements	Up to 13m ²	Up to 12m ²	Up to 11m ²	Up to 11m ²
12 elements	Up to 16m ²	Up to 15m ²	Up to 14m ²	Up to 13m ²
14 elements	Up to 18m ²	Up to 17m ²	Up to 16m ²	Up to 15m ²

Calculation m^3 – ceiling height more than 3 metres

3 elements	Up to 13m ³	Up to 11m ³	Up to 10m ³	Up to 9m ³
4 elements	Up to 17m ³	Up to 15m ³	Up to 13m ³	Up to 12m ³
6 elements	Up to 26m ³	Up to 23m ³	Up to 20m ³	Up to 18m ³
8 elements	Up to 34m ³	Up to 30m ³	Up to 26m ³	Up to 24m ³
9 elements	Up to 40m ³	Up to 34m ³	Up to 30m ³	Up to 25m ³
10 elements	Up to 43m ³	Up to 38m ³	Up to 33m ³	Up to 30m ³
12 elements	Up to 52m ³	Up to 46m ³	Up to 40m ³	Up to 36m ³
14 elements	Up to 60m ³	Up to 54m ³	Up to 48m ³	Up to 42m ³


HARMONI CONSERVATORY SIZING TABLES

Calculation m^2 – ceiling height less than 3 metres

11 elements	Up to 9m ²	Up to 8m ²	Up to 7m ²	Up to 7m ²
13 elements	Up to 10m ²	Up to 9m ²	Up to 9m ²	Up to 8m ²
15 elements	Up to 12m ²	Up to 11m ²	Up to 10m ²	Up to 9m ²

Calculation m^3 – ceiling height more than 3 metres

11 elements	Up to 27m ³	Up to 24m ³	Up to 21m ³	Up to 19m ³
13 elements	Up to 32m ³	Up to 28m ³	Up to 25m ³	Up to 22m ³
15 elements	Up to 37m ³	Up to 32m ³	Up to 29m ³	Up to 26m ³



See page 31
for details of the
Harmoni App.



harmoni lugo⁺


Digital electric radiator with built-in 

Harmoni Lugo⁺ is a premium electric heating radiator featuring an easy-to-use touch control panel, a highly accurate thermostat, energy saving functionality and much more. Includes integrated Wi-Fi for easy control from a smart device – *see page 31 for details of the Harmoni App.*

FEATURES



- Built-in Wi-Fi module – no external hub needed
 - Bright touch screen control panel with energy consumption indicator
 - High precision electronic thermostat
 - Lot 20 compliant
 - High purity aluminium body & armoured steel heating element
 - White RAL 9016 finish
 - “Open Window” energy saving function
-
- Template & installation kit included
 - Protection grade: IP24
 - 2004/108/EC electromagnetic compatibility directive
 - 2006/95/EC low voltage directive
 - 10-year warranty on the aluminium body and 2 years on the electronics



**CALL 01473 559088
FOR A FREE HEAT
LOSS CALCULATION**



- WiFi**
Built-in Wi-Fi module integrated into electronics.
- Consumption Meter**
Built-in consumption meter.
- ALU**
Aluminium body & fire retardant PC / ABS closures.
- Mineral High Heat Transfer Thermal Fluid**
- 10 Years Guarantee**
10 years guarantee on the aluminium.
- 2 Years Guarantee**
2 years guarantee on the electronic components.

- TFT**
TFT display with energy consumption indicator.
- Touch Control Panel**
Touch control panel with high gloss finish.
- Energy Saving Functions**
Energy saving functions: "Open Windows".
- 24/7**
Programming 24 hours a day, 7 days a week.
- 3 Working Modes**
3 working modes: Anti-frost, Eco and Comfort.
- High Precision Electronic Thermostat**

Lugo+ radiators have built-in Wi-Fi and can be controlled using the Harmoni App (*See page 31 for details*) on a smart device. Also view statistics, check and manage consumption.

The body is made of aluminium, a high quality, non-corrosive metal and an excellent heat conductor. Combined with the thermal fluid, this enables the radiator to heat up quickly using less energy. With a host of other energy-saving features, the Lugo+ is an efficient radiator that produces a comfortable, even heat.

The Harmoni Lugo is a non Wi-Fi version, *see page 10*.



- Multi-platform control app**
Multi-platform control app for smartphone, tablet or PC.
- 4 Editable Pre-installed Programs**
4 editable pre-installed programs (A1, A2, A3 & A4).
- View consumption and REAL heating cost anytime, anywhere.**
- Simple pairing without gateways or additional configuration.**

HARMONI LUGO⁺

Digital electric radiators with built-in Wi-Fi

QF	Model	Dimensions	Heats up to [†]	Wattage	No. of Fins	Web Price (ex VAT)	Web Price (inc VAT)	RRP Price
16109	LUGPHS0440	425 × 575 × 98mm	4.5 m ²	440 W	4	£173.40	£208.08	£312.12
16110	LUGPHS0660	585 × 575 × 98mm	6.5 m ²	660 W	6	£218.17	£261.80	£392.71
16111	LUGPHS0880	747 × 575 × 98mm	9 m ²	880 W	8	£259.53	£311.44	£467.16
16112	LUGPHS1100	907 × 575 × 98mm	11 m ²	1100 W	10	£291.84	£350.21	£525.31
16113	LUGPHS1320	1069 × 575 × 98mm	13.5 m ²	1320 W	12	£323.57	£388.28	£582.42
16114	LUGPHS1540	1230 × 575 × 98mm	15.5 m ²	1540 W	14	£359.27	£431.12	£646.68

[†] Installed depth is 120mm. [‡] All recommended "heats up to" are for example only and are based on current building regulations any deviation within this build example may significantly affect this recommendation. We always recommend contacting us for a free heat loss calculation.



ALSO AVAILABLE:
CONSERVATORY RADIATORS
FOR LOW-LEVEL WALLS



harmoni lugo

Digital electric radiator


The Harmoni Lugo is a premium electric heating radiator with a host of features: a highly accurate thermostat, energy saving functions, eco mode, intelligent 24/7 programming control and more. Available in 6 different sizes. A low-level conservatory radiator is also available in 3 sizes.



FEATURES

- Bright blue screen with energy consumption indicator
- Mechanical control panel with 5 buttons
- "Open Window" energy saving function
- 24/7 programming control
- 3 working modes: Anti-frost, ECO and Comfort
- 4 editable pre-installed programs (A1, A2, A3 & A4)
- Infrared remote control available

- Highly accurate electronic thermostat
- High purity aluminium body with flame-proof polycarbonate closures PC/ABS
- Thermal oil with a excellent heat transfer
- 110W per element, which assures the most balanced comfort
- 10-year warranty on the aluminium body and 2 years on the electronics



**CALL 01473 559088
FOR A FREE HEAT
LOSS CALCULATION**

HARMONI LUGO

Digital electric radiators

QF	Model	Dimensions	Heats up to [‡]	Wattage	No. of Fins	Web Price (ex VAT)	Web Price (inc VAT)	RRP Price
13455	LUGOHS0440	425 × 575 × 98mm	4.5 m ²	440 W	4	£141.33	£169.60	£254.40
13456	LUGOHS0660	585 × 575 × 98mm	6.5 m ²	660 W	6	£177.33	£212.80	£319.20
13457	LUGOHS0880	747 × 575 × 98mm	9 m ²	880 W	8	£210.67	£252.80	£379.20
13458	LUGOHS1100	907 × 575 × 98mm	11 m ²	1100 W	10	£237.33	£284.80	£427.20
13459	LUGOHS1320	1069 × 575 × 98mm	13.5 m ²	1320 W	12	£262.67	£315.20	£472.80
13460	LUGOHS1540	1230 × 575 × 98mm	15.5 m ²	1540 W	14	£292.00	£350.40	£525.60

Conservatory electric radiators

QF	Model	Dimensions [†]	Heats up to [‡]	Wattage	No. of Fins	Web Price (ex VAT)	Web Price (inc VAT)	RRP Price
13737	LUGOHSC1100	1010 × 420 × 98mm	7 m ²	1100 W	11	£244.00	£292.80	£429.20
13738	LUGOHSC1300	1180 × 420 × 98mm	6 m ²	1300 W	13	£269.33	£323.20	£484.80
13739	LUGOHSC1500	1330 × 420 × 98mm	10 m ²	1500 W	15	£293.33	£352.00	£528.00

[†] Installed depth is 120mm. [‡] All recommended "heats up to" are for example only and are based on current building regulations any deviation within this build example may significantly affect this recommendation. We always recommend contacting us for a free heat loss calculation.

Electric heater remote program controller

QF	Model	Dimensions	Web Price (ex VAT)	Web Price (inc VAT)	RRP Price
13469	HSBC21	58 × 155 × 16mm	£60.80	£72.96	£91.20

The HSBC21 Remote can program any of the electric towel rails or electric radiators, and with four different programs pre-installed, enables total control from one device.

- 4 different programs pre-installed
- Total control from one device
- Easy-to-use
- 24 hours / 7 days programmer
- Manual / Automatic function
- Remote memory lock
- Pre-programmed keys
- Erasing programming memory
- 2 year warranty
- LCD screen
- CE & ROHS Applicable Regulations



**WORKS WITH BOTH
ELECTRIC RADIATORS
& TOWEL RAILS**



See page 31
for details of the
Harmoni App.



harmoni duero⁺

Ceramic core electric radiator with built-in 


The Wi-Fi enabled Duero⁺ is incredibly quiet and its clay core ensures a comforting heating solution. A premium electric heating radiator boasting many features: a highly accurate thermostat, energy saving functions, eco mode, intelligent 24/7 programming control and more. Available in 3 different sizes.



FEATURES

- Ceramic core with built in thermostatic control (± 0.25)
- Bright blue screen with energy consumption indicator
- Wi-Fi control with Harmoni App available on Play store & App store
- "Open Window" energy saving technology
- 24/7 programming control
- 3 working modes: Anti-frost, ECO and Comfort
- 4 editable pre-installed programs (A1, A2, A3 & A4)

- Highly accurate electronic thermostat
- High purity aluminium body with flame-proof polycarbonate closures PC/ABS
- 110W per element, which assures the most balanced comfort
- 10-year warranty on the aluminium body
- 3 sizes available



**CALL 01473 559088
FOR A FREE HEAT
LOSS CALCULATION**



- Wi-Fi**: Built-in Wi-Fi module integrated into electronics.
- Consumption Meter**: Built-in consumption meter.
- ALU**: Aluminium body & fire retardant PC / ABS closures.
- Ceramic Core**: Ceramic core with built-in thermostatic control.
- 10 Year Warranty**: 10 years guarantee on the aluminium.
- 2 Year Warranty**: 2 years guarantee on the electronic components.

- TFT**: TFT display with energy consumption indicator.
- Touch Control**: Touch control panel with high gloss finish.
- Energy Saving**: Energy saving functions: "Open Windows".
- 24/7**: Programming 24 hours a day, 7 days a week.
- 3 Working Modes**: 3 working modes: Anti-frost, Eco and Comfort.
- High Precision**: High precision electronic thermostat.

The advanced Duero+ range of radiators can be controlled using a smart device via the *Harmoni App* (See page 31 for details). The app gives you complete control over your heating system wherever and whenever you choose.

The Duero's clay core is excellent for heat retention. Combined with its cutting-edge technology and energy-saving features, this is an efficient radiator which can lower your carbon footprint and energy consumption – and it looks good too.

The high-quality aluminium body is corrosion-resistant, backed up by a 10-year warranty.

The *Harmoni Duero* is a non Wi-Fi version, see page 14.



- Multi-platform control**: Multi-platform control app for smartphone, tablet or PC.
- 4 Editable Programs**: 4 editable pre-installed programs (A1, A2, A3 & A4).
- View Consumption**: View consumption and REAL heating cost anytime, anywhere.
- Simple Pairing**: Simple pairing without gateways or additional configuration.

HARMONI DUERO⁺

Ceramic dry Wi-Fi radiator

QF	Model	Dimensions	Weight	Heats up to [‡]	Wattage	No. of Fins	Web Price (ex VAT)	Web Price (inc VAT)	RRP Price
16431	DUER0HDP500	345 × 575 × 98mm	11kg	4.5 m ²	500 W	3	£176.23	£211.48	£264.34
16432	DUER0HDP1000	585 × 575 × 98mm	21kg	10 m ²	1000 W	6	£225.03	£270.04	£337.54
16433	DUER0HDP1500	827 × 575 × 98mm	33kg	15 m ²	1500 W	9	£273.63	£328.36	£410.44

[‡] All recommended "heats up to" are for example only and are based on current building regulations any deviation within this build example may significantly affect this recommendation. We always recommend contacting us for a free heat loss calculation.



harmoni duero

Ceramic core electric radiator

The Harmoni Duero is incredibly quiet and its clay core ensures a comforting heating solution.

A premium electric heating radiator boasting many features: a highly accurate thermostat, energy saving functions, eco mode, intelligent 24/7 programming control and more. Available in 3 different sizes.



FEATURES

Bright blue screen with energy consumption indicator

Mechanical control panel with 5 buttons

"Open Window" energy saving function

24/7 programming control

3 working modes: Anti-frost, ECO and Comfort

4 editable pre-installed programs (A1, A2, A3 & A4)

Infrared remote control available


Highly accurate electronic thermostat

High purity aluminium body with polycarbonate closures PC/ABS

Soapstone heating core

110W per element, which assures the most balanced comfort

10-year warranty on the aluminium body and 2 years on the electronics



**CALL 01473 559088
FOR A FREE HEAT
LOSS CALCULATION**



The Duero comes with three pre-installed modes: eco, comfort and anti-frost along with four editable programs.

As a clay filled radiator, it can fluctuate between temperature settings quickly and the aluminium shell helps reduce its surface temperature.

The high quality aluminium body also comes with a 10-year warranty.

HARMONI DUERO

Ceramic dry radiator

QF	Model	Dimensions	Weight	Heats up to [‡]	Wattage	No. of Fins	Web Price (ex VAT)	Web Price (inc VAT)	RRP Price
16428	DUEROHD500	345 × 575 × 98mm	11kg	4.5 m ²	500 W	3	£141.45	£169.74	£212.18
16429	DUEROHD1000	585 × 575 × 98mm	21kg	10 m ²	1000 W	6	£190.15	£228.18	£285.22
16430	DUEROHD1500	827 × 575 × 98mm	33kg	15 m ²	1500 W	9	£238.84	£286.61	£358.26

[‡] All recommended "heats up to" are for example only and are based on current building regulations any deviation within this build example may significantly affect this recommendation. We always recommend contacting us for a free heat loss calculation.

Electric heater remote program controller

QF	Model	Dimensions	Web Price (ex VAT)	Web Price (inc VAT)	RRP Price
13469	HSBC21	58 × 155 × 16mm	£60.80	£72.96	£91.20

The HSBC21 Remote can program any of the electric towel rails or electric radiators, and with four different programs pre-installed, enables total control from one device.

- 4 different programs pre-installed
- Total control from one device
- Easy-to-use
- 24 hours / 7 days programmer
- Manual / Automatic function
- Remote memory lock
- Pre-programmed keys
- Erasing programming memory
- 2 year warranty
- LCD screen
- CE & ROHS Applicable Regulations



**WORKS WITH BOTH
ELECTRIC RADIATORS
& TOWEL RAILS**

Available in white & chrome finish



harmoni ebro

Digital electric towel rail


Stylish and efficient, the Ebro towel rail is engineered to the highest standards. Includes a unique function that enables a full-power boost up to a maximum of 2 hours, for extra warmth when needed. Available in 4 different sizes and 2 finishes: chrome & white.




FEATURES

- 4 different sizes available
- Highly accurate electronic thermostat
- Straight steel body with flame-proof polycarbonate control box PCABS
- Thermal fluid with a excellent heat transfer
- IP44 rated
- 10-year warranty on the aluminium body and 2 years on the electronics

- Bright blue screen with energy consumption indicator
- Mechanical control panel with 5 buttons
- "Open Window" energy saving function
- 24/7 programming control
- 3 working modes: Anti-frost, ECO & Comfort
- Infrared remote control available





HARMONI EBRO

White electric towel rails

QF	Model	Dimensions†	Wattage	Weight (kg)	Web Price (ex VAT)	Web Price (inc VAT)	RRP Price
13461	EBROHS030B	500 × 800 × 50 mm	300 W	11	£124.00	£148.00	£223.20
13462	EBROHS050B	500 × 1200 × 50 mm	500 W	15	£157.33	£188.80	£283.20
13463	EBROHS075B	500 × 1600 × 50 mm	750 W	22	£178.67	£214.40	£321.60
13464	EBROHS0100B	500 × 1800 × 50 mm	1000 W	27	£196.00	£235.20	£352.80

Chrome electric towel rails

QF	Model	Dimensions†	Wattage	Weight (kg)	Web Price (ex VAT)	Web Price (inc VAT)	RRP Price
13465	EBROHS030C	500 × 800 × 50 mm	300 W	11	£197.33	£236.80	£355.20
13466	EBROHS050C	500 × 1200 × 50 mm	300 W	15	£254.67	£305.60	£458.40
13467	EBROHS075C	500 × 1600 × 50 mm	500 W	22	£317.33	£380.80	£571.20
13468	EBROHS0100C	500 × 1800 × 50 mm	750 W	27	£341.33	£409.60	£614.40

† Installed depth is 100mm.



Treat yourself to the warmth and luxury of warm towels and a heated bathroom. A towel rail reduces moisture, mildew and musty smells. It's also great for taking the chill from coats and outerwear, warming up baby blankets and drying delicate clothes.

**CALL 01473 559088
FOR MORE
INFORMATION**

Electric heater remote program controller

QF	Model	Dimensions	Web Price (ex VAT)	Web Price (inc VAT)	RRP Price
13469	HSBC21	58 × 155 × 16mm	£60.80	£72.96	£91.20

The HSBC21 Remote can program any of the electric towel rails or electric radiators, and with four different programs pre-installed, ensure total control from one device.





harmoni underfloor heating

A range of underfloor heating systems to suit any project and budget

Electric underfloor heating emits a comfortable, even heat and is gaining popularity as a clean, energy efficient heating solution. Our underfloor heating range offers premium specifications at unbeatable value, backed up by exceptional customer service and lifetime warranties.

WHY USE HARMONI UNDERFLOOR HEATING?

We offer a premium electric underfloor heating range that offers unbeatable value.

- Best quality product at the lowest price
- Lifetime warranty on all products plus an installation replacement warranty
- Exceptional customer service
- Free next working day delivery
- Free fully-detailed quotation
- Independent S Mark & Fimko safety approved
- Free design service



Lifetime Warranty

All Harmoni mats, foils & cables are guaranteed against manufacturer defects for the lifetime of the initial floor covering.



Installer Warranty

Guarantees if you damage your Harmoni mat, foil or cable before the finished floor surface is installed we will replace it with an equivalent product free of charge.

THE HARMONI SMART RANGE OF UNDERFLOOR HEATING SYSTEMS

Underfloor heating systems to suit any size project and budget. When used in conjunction with the Wi-Fi enabled Harmoni 100+ thermostat (see page 27), your underfloor heating can be controlled directly from a smart device.



Harmoni SmartMat 100/150/200W

An ultra-thin self-adhesive heating mat designed for installation directly onto timber or concrete sub-based floors with minimal increase in floor height.



Harmoni SmartFoil

An ultra-thin foil mat for laminate/wood floors. Fully earth protected.



Harmoni SmartFlex

Suitable for retrofitting into existing builds with small or awkward shaped rooms such as a bathroom.



Harmoni SmartCable

A flexible solution for most new build applications, especially larger areas such as conservatories and sunrooms where heat retention is important.

FREE DESIGN SERVICE



A bespoke design is an essential requirement to maximise the performance and efficiency of the underfloor heating system. There is a huge difference in performance between an off-the-shelf and a fully designed solution.

Working out the intricacies of your underfloor heating project can be complicated, so let us give you a helping hand and design your electric underfloor heating system – and best of all, it's a free service.

- Full service from start to finish
- Expert advice from a qualified team
- Send us a drawing or plan and we'll produce a free fully-detailed quotation
- Get a free bespoke design

See page 4 for more details.

INDEPENDENTLY SAFETY TESTED

As well the required CE marking, all our mats, foils and cables are independently Intertek S Mark and SGS Fimko FI mark approved.

These marks are visual proof that our products are manufactured to the highest standards in safety and added assurance that there is no risk of a product safety failure.



SUPERIOR PRODUCT DESIGN

All Harmoni underfloor heating mats, foils and cables are manufactured to the highest standards using quality materials and come with a lifetime warranty.

The backing mesh is made of strong, durable nylon with a self-adhesive backing. This allows for a quick, secure installation and avoids problems due to the mat floating or moving in the tile adhesive.



The heating cables are stitched to the durable backing mesh with a special



heat resistant thread. This ensures the element spacing remains uniform, guaranteeing an even distribution of heat and eliminates the opportunity for cold spots, a common problem with lesser quality mats.



FEATURES & SPECS

- Self-adhesive mesh
- Ultra-thin heating cable
- Twin conductor heating cable
- Suitable for most floor surfaces
- 100% aluminium earth sheaths

Cable thickness	3mm
Output	100W/m ²
Operating Voltage	230/240V
Cold tail connection lead	3m





harmoni smartmat


Ultra-thin underfloor heating mat 100W/150W/200W

A self-adhesive heating mat designed for fast & efficient installation directly onto concrete sub-based floors with minimal increase in floor height. Consistent, even heat is achieved by pre-spaced heating cables. Our heating mats come with a Lifetime Warranty as standard.

APPLICATION

The Harmoni SmartMat range can be installed under ceramic, porcelain, slate and natural stone tiles.

When using laminate, engineered timber or vinyl floors a self-levelling compound should be used.



**WE OFFER A FREE
DESIGN SERVICE, CALL
01473 559088 FOR
MORE INFORMATION**



Independent S Mark Approval

The S Mark symbol shows that the product has been independently tested, ensuring your safety will not be put at risk by a product failure.



The Harmoni SmartMat has a self-adhesive backing mesh with a pre-attached ultra-thin twin conductor 3mm heating cable that ensures minimal increase to the existing floor height.

The enhanced product design ensures a speedy installation with an even heat across the complete floor surface, whilst allowing unlimited adjustment of the heating element to suit irregular formats.

When used in conjunction with the Harmoni 100+ Wi-Fi Thermostat, the underfloor heating can be controlled from a smart device (see page 27).



HARMONI SMARTMAT 100W

QF	Part Code	Area Covered*	Wattage	Web Price (ex VAT)	Web Price (inc VAT)	RRP Price
16233	HMMAT100-1.0	1.00m ²	100w	£19.99	£23.99	£95.94
16234	HMMAT100-1.5	1.50m ²	150w	£25.88	£31.06	£103.50
16235	HMMAT100-2.0	2.00m ²	200w	£30.16	£36.19	£120.65
16236	HMMAT100-2.5	2.50m ²	250w	£39.20	£47.04	£134.40
16237	HMMAT100-3.0	3.00m ²	300w	£43.75	£52.50	£150.00
16238	HMMAT100-3.5	3.50m ²	350w	£47.95	£57.54	£164.40
16239	HMMAT100-4.0	4.00m ²	400w	£52.15	£62.58	£178.80
16240	HMMAT100-5.0	5.00m ²	500w	£64.75	£77.70	£222.00
16241	HMMAT100-6.0	6.00m ²	600w	£70.70	£84.84	£242.40
16242	HMMAT100-7.0	7.00m ²	700w	£78.05	£93.66	£267.60
16243	HMMAT100-8.0	8.00m ²	800w	£96.40	£115.68	£289.20
16244	HMMAT100-9.0	9.00m ²	900w	£103.20	£123.84	£309.60
16245	HMMAT100-10.0	10.00m ²	1000w	£124.65	£149.58	£332.40
16246	HMMAT100-12.0	12.00m ²	1200w	£145.11	£174.13	£386.96

HARMONI SMARTMAT 150W

QF	Part Code	Area Covered*	Wattage	Web Price (ex VAT)	Web Price (inc VAT)	RRP Price
16253	HMMAT150-1.0	1.00m ²	150w	£19.99	£23.99	£95.94
16254	HMMAT150-1.5	1.50m ²	225w	£25.88	£31.06	£103.50
16255	HMMAT150-2.0	2.00m ²	300w	£30.16	£36.19	£120.65
16256	HMMAT150-2.5	2.50m ²	375w	£39.20	£47.04	£134.40
16257	HMMAT150-3.0	3.00m ²	450w	£43.75	£52.50	£150.00
16258	HMMAT150-3.5	3.50m ²	525w	£47.95	£57.54	£164.40
16259	HMMAT150-4.0	4.00m ²	600w	£52.15	£62.58	£178.80
16260	HMMAT150-5.0	5.00m ²	750w	£64.75	£77.70	£222.00
16261	HMMAT150-6.0	6.00m ²	900w	£70.70	£84.84	£242.40
16262	HMMAT150-7.0	7.00m ²	1050w	£78.05	£93.66	£267.60
16263	HMMAT150-8.0	8.00m ²	1200w	£96.40	£115.68	£289.20
16264	HMMAT150-9.0	9.00m ²	1350w	£103.20	£123.84	£309.60
16265	HMMAT150-10.0	10.00m ²	1500w	£124.65	£149.58	£332.40
16266	HMMAT150-12.0	12.00m ²	1800w	£145.11	£174.13	£386.96

HARMONI SMARTMAT 200W

QF	Part Code	Area Covered*	Wattage	Web Price (ex VAT)	Web Price (inc VAT)	RRP Price
16268	HMMAT200-1.0	1.00m ²	200w	£19.99	£23.99	£95.94
16269	HMMAT200-1.5	1.50m ²	300w	£25.88	£31.06	£103.50
16270	HMMAT200-2.0	2.00m ²	400w	£30.16	£36.19	£120.65
16271	HMMAT200-2.5	2.50m ²	500w	£39.20	£47.04	£134.40
16272	HMMAT200-3.0	3.00m ²	600w	£43.75	£52.50	£150.00
16273	HMMAT200-3.5	3.50m ²	700w	£47.95	£57.54	£164.40
16274	HMMAT200-4.0	4.00m ²	800w	£52.15	£62.58	£178.80
16275	HMMAT200-5.0	5.00m ²	1000w	£64.75	£77.70	£222.00
16276	HMMAT200-6.0	6.00m ²	1200w	£70.70	£84.84	£242.40
16277	HMMAT200-7.0	7.00m ²	1400w	£78.05	£93.66	£267.60
16278	HMMAT200-8.0	8.00m ²	1600w	£96.40	£115.68	£289.20
16279	HMMAT200-9.0	9.00m ²	1800w	£103.20	£123.84	£309.60
16280	HMMAT200-10.0	10.00m ²	2000w	£124.65	£149.58	£332.40
16281	HMMAT200-12.0	12.00m ²	2400w	£145.11	£174.13	£386.96

* All mats are 0.5m wide.

FEATURES & SPECS

- Easy to install
 - Twin conductor heating cable
 - Suitable for most floor surfaces
 - Can be installed within the thickness of tile adhesive
-
- Conductor Twin
 - Output 10W/m
 - Operating Voltage 230/240V
 - Thickness 4mm
 - Min. bending radius 30mm



harmoni smartflex

Under tile loose-laid cable

The Harmoni SmartFlex loose-laid cable system provides a flexible and easy under tile heating solution for any floor size or shape. Flex is suitable for use beneath most floor types such as ceramic and porcelain tiles, limestone etc. Its thin heating element keeps floor depth to a minimum.

HARMONI SMARTFLEX

Select the Flex to suit your room coverage.
Then choose a thermostat (see pages 26–27).


QF	Part Code	Length	Wattage	Web Price (ex VAT)	Web Price (inc VAT)	RRP Price
16398	HMFx100	10m	100w	£18.82	£22.58	£62.50
16400	HMFx300	30m	300w	£29.43	£35.32	£100.90
16401	HMFx400	40m	400w	£39.60	£47.52	£118.80
16402	HMFx600	60m	600w	£46.66	£55.99	£186.65
16403	HMFx800	80m	800w	£64.47	£77.36	£221.04
16404	HMFx1000	100m	1000w	£71.12	£85.34	£341.35
16405	HMFx1200	120m	1200w	£84.77	£101.72	£406.87
16406	HMFx1400	140m	1400w	£96.72	£116.06	£464.23
16407	HMFx1600	160m	1600w	£109.80	£131.76	£527.02

FLEX ACCESSORIES

QF	Part Code	Description	Length	Web Price (ex VAT)	Web Price (inc VAT)
10487	FDW6659-U	Self-adhesive mesh	46m	£14.75	£17.70
1245	EDS50	Double-sided tape	50m	£9.99	£11.99
1312	EG50	eGuage tape	50m	£2.75	£3.30

APPLICATION

The Harmoni SmartFlex is a loose-laid cable which can be installed beneath most ceramic, porcelain/slate and natural stone tiles. When using laminate, engineered timber or vinyl floors a self-levelling compound should be used.



FEATURES & SPECS

- Easy to install
 - Twin conductor heating cable
 - Suitable for most floor surfaces
 - Can be installed within the thickness of tile adhesive
-
- Conductor: Twin
 - Output: 10W/m
 - Operating Voltage: 230/240V
 - Thickness: 7mm
 - Min. bending radius: 30mm





harmoni smartcable

In-screed total heating solution

Harmoni SmartCable is a flexible solution for most new build applications where a total heating solution is required. The flexibility of the SmartCable system allows variable power outputs to be installed with a maximum of 230W/m² in a variety of scenarios including conservatories, sun rooms and greenhouses.

HARMONI SMARTCABLE

Select the Harmoni SmartCable to suit your room coverage. Then choose a thermostat (*see pages 26–27*).

QF	Part Code	Wattage	Length	Web Price (ex VAT)	Web Price (inc VAT)	RRP Price
16412	HMC1270	1270W	60m	£167.42	£200.90	£289.31
16413	HMC1410	1410W	70m	£171.21	£205.45	£295.85
16414	HMC1620	1620W	80m	£189.72	£227.66	£327.84
16415	HMC1890	1890W	90m	£211.01	£253.21	£364.62
16416	HMC2530	2530W	125m	£246.18	£295.42	£425.40

STRAP


The strap ensures the cable is evenly spaced and secured to the insulation or concrete based floor.



QF	Part Code	Description	Length	Web Price (ex VAT)	Web Price (inc VAT)
1243	eStrap	Metal fixing strap	25m	£41.39	£49.67

APPLICATION

The Harmoni SmartCable offers a flexible solution for most new build applications where a total heating solution is required.





Harmoni Installer Warranty

If your Harmoni underfloor heating product is damaged before your finished floor surface is installed, we will replace it with an equivalent product free of charge.



Intertek



FEATURES & SPECS

Ultra-thin heating cable
Twin conductor heating cable
Complete earth braiding
Easy to install
Intertek S Mark approved

Thickness: 5mm
Output: 140W/m²
Operating voltage: 230/240V
Cold tail connection lead: 3m



! When using SmartFoil, XPS insulation boards must be laid first (see page 25)



harmoni smartfoil

Fully earthed, ultra-thin foil mat for laminate/wooden floors

An ultra-thin electric radiant floor heating system primarily for use under laminate, engineered wood and glued hardwood. Fully earth protected and covered in aluminium foil, the specialised materials eliminate hotspots ensuring that heating is uniform.

FREE DESIGN SERVICE – CALL 01473 559088

HARMONI SMARTFOIL


Select the Foil to suit your room coverage. Then choose a thermostat (see pages 26–27), components & XPS underlay boards.

QF	Part Code	Area Covered*	Wattage	Web Price (ex VAT)	Web Price (inc VAT)	RRP Price
16396	HMF140-1.0	1.00m ²	140w	£27.48	£32.98	£94.20
16394	HMF140-2.0	2.00m ²	280w	£39.55	£47.46	£135.60
16392	HMF140-3.0	3.00m ²	420w	£51.09	£61.31	£177.00
16389	HMF140-5.0	5.00m ²	700w	£74.72	£89.66	£259.20
16388	HMF140-6.0	6.00m ²	840w	£86.54	£103.85	£300.00
16387	HMF140-7.0	7.00m ²	980w	£98.36	£118.03	£341.40
16386	HMF140-8.0	8.00m ²	1120w	£110.80	£132.96	£384.30
16385	HMF140-9.0	9.00m ²	1260w	£122.63	£147.16	£425.70
16384	HMF140-10.0	10.00m ²	1400w	£136.24	£163.49	£467.10
16383	HMF140-12.0	12.00m ²	1680w	£160.21	£192.25	£549.30

* All foil mats are 0.5m wide.

APPLICATION

Harmoni SmartFoil can be installed under laminate, engineered wood or glued hardwood. XPS insulation boards must be laid first, before laying the foil.



THERMAL INSULATION BOARD

➔ For use with Mat & Flex



FEATURES

- Dimensionally stable, does not rot or warp
- Excellent resistance to moisture
- High level of thermal insulation
- Extremely light and easy to cut

The thermal panel is a lightweight insulated tile backing board developed specifically for use with tile floors. It consists of a polyfoam core with glass fibre reinforced polymer-modified cement faces, making it the ideal substrate for floor tiling and under tile heating systems.

APPLICATION

Thermal panels are suitable for both domestic and commercial use. Designed to be installed beneath both the Harmoni Mat and Flex, it provides a high level of insulation and a stable base for tiling (on timber based floors). Panels can be secured using ePanel fixings (when laying on timber floors), in conjunction with eMesh to strengthen the joints.

QF	Part Code	Dimensions (mm)	Coverage	Web Price (ex VAT)	Web Price (inc VAT)
1133	Panel 6mm	1200 × 600 × 6mm	0.72m ²	£7.92	£9.50
1086	Panel 10mm	1200 × 600 × 10mm	0.72m ²	£7.92	£9.50
1268	Panel 20mm	1200 × 600 × 20mm	0.72m ²	£9.23	£11.08

ACCESSORIES

QF	Part Code	Qty	Length	Web Price (ex VAT)	Web Price (inc VAT)
1135	eFixings	50 per bag	–	£9.61	£11.53
10487	FDW6659-U	1	46m	£14.75	£17.70

XPS INSULATION BOARD

➔ For use with Foil

Specifically designed to provide a high level of insulation with poorly insulated concrete/screeded bases, the XPS board is constructed from extruded polystyrene, a durable, lightweight material with high compressive strength, giving it the ability to resist compressive creep and fatigue.

APPLICATION

Suitable for both domestic and commercial use, the boards should be installed beneath the foil mat in a brick pattern then secured along the joints using adhesive tape to prevent movement of the underlay during installation.



QF	Part Code	Dimensions	Coverage	Web Price (ex VAT)	Web Price (inc VAT)
13528	018793	1200mm × 600mm × 6mm	0.72m ²	£3.71	£4.45
13529	019289	1200mm × 600mm × 10mm	0.72m ²	£4.86	£5.83
13530	019385	1200mm × 600mm × 20mm	0.72m ²	£9.56	£11.47

ACCESSORIES

QF	Part Code	Description	Length	Web Price (ex VAT)	Web Price (inc VAT)
1247	ESS50	Single sided utility duct tape	50m	£4.26	£5.11
1246	EDS25	Double sided tape	25m	£5.54	£6.65
1245	EDS50	Double sided tape	50m	£9.99	£11.99

FEATURES

- Dimensionally stable, does not rot or warp
- Excellent resistance to moisture
- High level of thermal insulation
- Extremely light and easy to cut





harmoni thermostat

Stylish cutting-edge programmable thermostat range

One of the most efficient underfloor heating control ranges with energy saving features, simple setup and ease of use. As well as advanced functionality, Harmoni thermostats are beautifully designed and will look good in any room. The Harmoni 100+ is Wi-Fi enabled, allowing total control from any smart device.

HARMONI THERMOSTAT RANGE

QF	Part Code	Description	Room	Floor	Switching Capacity	Web Price (ex VAT)	Web Price (inc VAT)	RRP Price
16435	HTP100	Harmoni 100+ Wi-Fi touch screen 7-day programmable thermostat	Yes	Yes	3680W@230V	£96.47	£115.76	£165.38
16434	HT100	Harmoni 100 Touch screen 7-day programmable thermostat	Yes	Yes	3450W@230V	£67.36	£80.83	£114.00
8298	140G0052	Harmoni 25 Digital timer 7-day programmable thermostat	Yes	Yes	2990W@230V	£38.32	£45.98	£61.70

ACCESSORIES

QF	Part Code	Description	Web Price (ex VAT)	Web Price (inc VAT)
273	floorsensor	Spare floor sensor for Harmoni thermostats	£13.33	£16.00

HARMONI 100+

The Wi-Fi enabled Harmoni 100+ is an intelligent underfloor heating control with a stylish touch screen display.

The Harmoni 100+ is fully programmable, simple to install and easy to manage, helping you save energy and money. Three pre-installed programs are included for easy control over your programming schedules.

It can be controlled from a smart device wherever you are, whenever you want via the Harmoni App.



See page 31 for details of the Harmoni App.

CONTROL YOUR HEATING FROM A SMART DEVICE VIA THE HARMONI APP

FEATURES & SPECS

Complete WiFi Control (no hub required)
 Touch control screen
 "Open Window" energy saving function
 24/7 programming control
 Manual / Automatic / Anti-frost modes –
 3 pre-installed programs
 Air & floor sensing

Dimensions 77(H) × 77(W) × 15(D)mm
 (in-wall depth: 35mm)

Voltage 220–240V

Floor sensor 3m

Finish White



HARMONI 100

The Harmoni 100 is an intelligent underfloor heating control with a stylish touch screen display that looks good with any decor.

The adaptive starting mode feature ensures there is heat at exactly the time you want it by learning how long the underfloor heating takes to heat up.

Three pre-installed heating programs – manual, automatic and anti-frost mode – make it easy to control.

FEATURES & SPECS

Touch control screen
 "Open Window" energy saving function
 24/7 programming control
 Manual / Automatic / Anti-frost modes
 Adaptive starting mode

Dimensions 77(H) × 77(W) × 15(D)mm
 (in-wall depth: 35mm)

Voltage 220–240V

Floor sensor 3m

Finish White



HARMONI 25

The Harmoni 25, with 7-day programming, is an advanced digital timer thermostat used for controlling electrical underfloor heating elements.

The Harmoni 25 is designed for fixed installation only, and controls floor heating systems by either the floor temperature, the room temperature or both together.

FEATURES & SPECS

Elegant, slim design
 Easy set up
 Full user programming
 Energy saving features
 Floor sensor included

Dimensions 86(H) × 86(W) × 13(D)mm

Fixing screw width 60mm

Programming 7-day programmable

IP class 21






harmeni ❄️ FROST PROTECTION

Self-regulating frost protection kits

Trace heating kits are the perfect solution to prevent internal and external pipes from freezing. Our kits are easy to install and are self-regulating, which means the cable automatically adjusts to the ambient temperature and cannot overheat, only activating when the ambient temperature drops below 5°C.

- Pre-terminated trace heating cable
- Built-in thermostat
- Easy to install
- Independently SGS Fimko certified for extra safety

- Best price, best value
- Free next day delivery
- Free design service
- Free technical advice



THE SIMPLEST SOLUTION TO PREVENT PIPES FROM FREEZING

EASY TO INSTALL



APPLICATIONS

- **Boiler condensate pipes**
Stops boiler failures through frozen condensate drains
- **Outside tap protection**
Ensures your outside water supplies flow freely
- **Water pipe protection**
Prevents freezing of essential water supplies & drainage
- **Caravans and mobile homes**
Protects your water supplies from freezing
- **Stables and farms**
Eliminates problematic freezing of animal water supplies




SIMPLY PLUG IN & GO

All of our frost protection kits come with a built-in thermostat which activates the trace heating cable when the ambient temperature drops below 5°C and remains operational until the ambient temperature climbs above 10°C. This also ensures that the trace heating system only operates when required to stop pipes freezing during the cold months, remaining dormant throughout the rest of the year. However, if there's a cold snap the trace heating will automatically reactivate until the weather gets warmer.

EASY INSTALLATION

A trace heating cable is generally quick and easy to fit, just follow the step-by-step instructions in the manual, although it is recommended to have the installation carried out by a qualified electrician.



FROST PROTECTION KITS

QF	Part Code	Description of kits	Web Price (ex VAT)	Web Price (inc VAT)	RRP Price
13478	FP-230-2	2m Pre-made (12W/m) Kits	£32.00	£38.40	£48.00
13479	FP-230-4	4m Pre-made (12W/m) Kits	£42.15	£50.58	£63.23
13480	FP-230-5	5m Pre-made (12W/m) Kits	£46.15	£55.38	£69.23
13481	FP-230-6	6m Pre-made (12W/m) Kits	£50.15	£60.18	£75.23
13482	FP-230-8	8m Pre-made (12W/m) Kits	£58.15	£69.78	£87.23
13483	FP-230-10	10m Pre-made (12W/m) Kits	£66.15	£79.38	£99.23
13484	FP-230-15	15m Pre-made (12W/m) Kits	£86.15	£103.38	£129.23
13485	FP-230-25	25m Pre-made (12W/m) Kits	£93.75	£112.50	£189.23
13486	FP-230-30	30m Pre-made (12W/m) Kits	£112.50	£135.00	£219.23

NEED HELP?

FREE DESIGN & BUILD SPECIFICATION SERVICE



HIGHEST SAFETY STANDARDS

As well as conforming to the requirements of the relevant European Directives, our frost protection kits are also independently SGS Fimko FI mark tested and approved.



This is visual proof that they are manufactured to the highest standards and added assurance that there is no risk of a product safety failure.

ACCESSORIES

QF	Part Code	Description	Length	Web Price (ex VAT)	Web Price (inc VAT)
1798	ETH-1798	Aluminium adhesive tape	50m	£9.99	£11.99
4675	9501	Heat resistant glass fibre fixing tape	20m	£4.37	£5.24



SPRAY FOAM INSULATION PROVIDES AIR SEALING, WHICH PREVENTS HEAT LOSS, SAVING YOU MONEY



harmeni insulation

Icynene® one-step spray foam insulation

Icynene is the pioneer of modern spray foam insulation. In addition to providing insulating and air sealing value, Icynene spray foam insulation works to help reduce heating and cooling bills as well as reducing the penetration of noise with its excellent sound dampening qualities.



BENEFITS OF ICYNENE® SPRAY FOAM INSULATION

- Lower your energy bill
- Environmentally friendly
- Prevent air leakage
- Reduce mould and condensation
- Prevent airborne pollutants and allergens
- Sound-proofing qualities
- Suitable for new and existing buildings
- Increase the value of your home
- Improve damp protection
- No harmful gases
- Rodent and pest proof


SAVE MONEY

Icynene® spray foam insulation is a premium product that really pays for itself, helping you save on heating and cooling costs by providing U-value insulation and air sealing.

Spray foam insulation is an investment that can create an air barrier and minimize air leaks, reduce energy bills and potentially increase the value of your home.

You could also reduce the size of your heating and cooling equipment, saving on installation and replacements costs.

**CALL US ON
01473 559088 TO
ARRANGE A FREE
NO-OBLIGATION SURVEY**



The app works on both iOS & Android. It's free to download from Apple or Google Play stores: search 'Harmoni Heating'

FREE TO DOWNLOAD



harmoni app

Free mobile control app for Wi-Fi enabled Harmoni products

The app allows the user advanced control of Harmoni Wi-Fi enabled products from any smart device. Adjust temperatures and easily program all the advanced functions wherever you are. Also view statistics, check and manage consumption. Free to download from Apple or Google Play stores: search 'Harmoni Heating'

SCREEN DESCRIPTIONS


Easy pairing tutorial

Simple guide showing the process of pairing the radiators with a smartphone using the Wi-Fi network.



Main screen

See the status of the zones and the temperatures established in each one.



Energy & consumption statistics


View and control the hours of use and the power consumption of your Harmoni heating system.



Temperature control

The temperature of the products is controlled from an intuitive and easy-to-operate screen.





harmoni
Digital electric heating system

Call us for more information
01473 559088
sales@harmoniheating.co.uk

AVAILABLE TO BUY FROM



www.heatershop.co.uk

Edison House
Edison Close, Ransomes Europark
Ipswich, Suffolk IP3 9GU
United Kingdom

Copyright ©Harmoni. All Rights Reserved
Harmoni is a trading division of Edison House Trading Ltd